Author Index

Algers, B., see Castren, H. et al.
Appleby, M.C., Lawrence, A.B. and Illius, A.W. (Edinburgh, Gt. Britain)
Influence of neighbours on stereotypic behaviour of tethered sows
Arnold, G.W., Steven, D.E. and Weeldenburg, J.R. (Midland, WA, Australia)
The effect of daylength and weather conditions on the time spent by western grey
kangaroos (Macropus fuliginosus) on farmland
Asahida, Y., see Kondo, S. et al.
Barnett, J.L., Hemsworth, P.H., Newman, E.A., McCallum, T.H. and Winfield, C.G.
(Werribee, Vic., Australia)
The effect of design of tether and stall housing on some behavioural and physiological
responses related to the welfare of pregnant pigs
Brindley, E.L. and Bullock, D.J. (St. Andrews, Gt. Britain) and Maisels, F. (Edinburgh, Gt. Britain)
Effects of rain and fly harassment on the feeding behaviour of free-ranging feral goats 31
Bullock, D.J., see Brindley, E.L. et al.
Cameron, A.W.N., see Tilbrook, A.J. and Cameron, A.W.N.
Castrén, H. and Saloniemi, H. (Helsinki, Finland), Algers, B. and Jensen, P. (Skara, Sweden)
Suckling behaviour and milk consumption in newborn piglets as a response to sow grunting
Caudle, A.B., see Crowell-Davis, S.L. and Caudle, A.B.
Crowell-Davis, S.L., see Ellard, ME. and Crowell-Davis, S.L.
Crowell-Davis, S.L. and Caudle, A.B. (Athens, GA, U.S.A.)
Coprophagy by foals: recognition of maternal feces
Dally, M.R., see Holmes, L.N. et al.
Dally, M.R., see Estep, D.Q. et al.
Dawkins, M.S. (Oxford, Gt. Britain)
Time budgets in Red Junglefowl as a baseline for the assessment of welfare in domestic
fowl
Day, A.C., see Kennedy, A.D. and Day, A.C.
Dellmeier, G.R., see Friend, T.H. et al.
Duncan, I.J.H., see Keeling, L.J. and Duncan, I.J.H
El Aich, A., Touibi, M. (Rabat, Morocco) and Rittenhouse, L.R. (Fort Collins, CO, U.S.A.)
Food intake by free-grazing sheep and resource productivity
El Aich, A., Moukadem, A. (Rabat, Morocco) and Rittenhouse, L.R. (Fort Collins, CO, U.S.A.)
Feeding station behaviour of free-grazing sheep
Ellard, ME. and Crowell-Davis, S.L. (Athens, GA, U.S.A.)
Evaluating equine dominance in draft mares
Estep, D.Q. (Athens, GA, U.S.A.), Price, E.O., Wallach, S.J.R. and Dally, M.R. (Davis, CA, U.S.A.)
Social preferences of domestic ewes for rams (Ovis aries)
Fraser, A.F. (St. John's, Newfoundland, Canada)
The phenomenon of pandiculation in the kinetic behaviour of the sheep fetus 169
Fraser, D. and Phillips, P.A. (Ottawa, Ont., Canada)
Lethargy and low water intake by sows during early lactation: a cause of low piglet
weight gains and survival?

Friend, T.H., O'Connor, L.A., Knabe, D.A. and Dellmeier, G.R. (College Station, TX, U.S.A.)	
Preliminary trials of a sound-activated device to reduce crushing of piglets by sows	23
Goszczynski, J., see Jezierski, T.A. et al.	
Gustavson, C.R., see Nicolaus, L.K. et al.	
Hecheimi, K., see Phillips, C.J.C. and Hecheimi, K.	
Hemsworth, P.H., see Barnett, J.L. et al.	
Herrera, J., see Nicolaus, L.K. et al.	
Hirotani, A. (Aichi, Japan)	
Social relationships of reindeer Rangifer tarandus during rut: implications for female choice	83
Holmes, L.N., Price, E.O., Dally, M.R. and Wallach, S.J.R. (Davis, CA, U.S.A.)	
Fostering lambs by odor transfer: two-lamb substitution	47
Houpt, K.A. and Wollney, G. (Ithaca, NY, U.S.A.)	
Frequency of masturbation and time budgets of dairy bulls used for semen production 2 Illius, A.W., see Appleby, M.C. et al.	17
Illius, A.W., see Lawrence, A.B. and Illius, A.W.	
Jensen, P., see Castrén, H. et al.	
Jezierski, T.A., Sieradzka, I. (Mroków, Poland), Koziorowski, M. (Olsztyn-Kortowo, Poland) and Goszczynski, J. (Wejsuny, Poland)	
Homosexual and social behaviours of young bulls of different geno- and phenotypes and	
plasma concentrations of some hormones	01
Keeling, L.J. and Duncan, I.J.H. (Roslin, Gt. Britain)	
Inter-individual distances and orientation in laying hens housed in groups of three in	
two different sized enclosures	25
Kennedy, A.D. and Day, A.C. (Winnipeg, Manitoba, Canada)	
Orientation to the sun of British and exotic breed cross cows during the winter 1	15
Kersten, A.M.P., Meijsser, F.M. and Metz, J.H.M. (Wageningen, The Netherlands)	
Effects of early handling on later open-field behaviour in rabbits	57
Kersten, A.M.P., see Meijsser, F.M. et al.	
Khan, J.A., see Naheed, G. and Khan, J.A.	
Knabe, D.A., see Friend, T.H. et al.	
Kondo, S. (Shizunai, Japan), Sekine, J. (Tottori, Japan), Okubo, M. and Asahida, Y. (Sapporo, Japan)	
The effect of group size and space allowance on the agonistic and spacing behavior of	
cattle	127
Koziorowski, M., see Jezierski, T.A. et al.	
Lawrence, A.B., see Appleby, M.C. et al.	
Lawrence, A.B. and Illius, A.W. (Edinburgh, Gt. Britain)	
Methodology for measuring hunger and food needs using operant conditioning in the pig	273
Le Neindre, P., see Veissier, I. and Le Neindre, P.	
Maisels, F., see Brindley, E.L. et al.	
McCallum, T.H., see Barnett, J.L. et al.	
Meijsser, F.M., Kersten, A.M.P., Wiepkema, P.R. and Metz, J.H.M. (Wageningen, The Netherlands)	
An analysis of the open-field performance of sub-adult rabbits	147
Meijsser, F.M., see Kersten, A.M.P. et al.	
Metz, J.H.M., see Kersten, A.M.P. et al.	
Metz, J.H.M., see Meijsser, F.M. et al.	
Moukadem, A., see El Aich, A. et al.	
Naheed, G. and Khan, J.A. (Aligarth, India) "Poison-shyness" and "bait-shyness" developed by wild rats (Rattus rattus L.). I.	
Methods for eliminating "shyness" caused by harium carbonate poisoning	90

Newman, E.A., see Barnett, J.L. et al.
Nicolaus, L.K., Herrera, J., Nicolaus, J.C. (DeKalb, IL, U.S.A.) and Gustavson, C.R. (Tempe, AZ, U.S.A.)
Ethinyl estradiol and generalized aversions to eggs among free-ranging predators 313
O'Connor, L.A., see Friend, T.H. et al.
Okubo, M., see Kondo, S. et al.
Phillips, C.J.C. and Hecheimi, K. (Bangor, Gt. Britain)
The effect of forage supplementation, herbage height and season on the ingestive
behaviour of dairy cows
Phillips, P.A., see Fraser, D. and Phillips, P.A.
Price, E.O., see Holmes, L.N. et al.
Price, E.O., see Estep, D.Q. et al.
Rittenhouse, L.R., see El Aich, A. et al.
Saloniemi, H., see Castrén, H. et al.
Sekine, J., see Kondo, S. et al.
Sieradzka, I., see Jezierski, T.A. et al.
Steven, D.E., see Arnold, G.W. et al.
Terpstra, J.W. and Wilson, A.D. (Deniliquin, N.S.W., Australia)
Grazing distribution of sheep and kangaroos in a semi-arid woodland
Tilbrook, A.J. (Werribee, Vic., Australia) and Cameron, A.W.N. (Clayton, Vic., Australia)
Ram mating preferences for woolly rather than recently shorn ewes
Touibi, M., see El Aich, A. et al.
Veissier, I. and Le Neindre, P. (Theix, France)
Weaning in calves: its effects on social organization
Wallach, S.J.R., see Holmes, L.N. et al.
Wallach, S.J.R., see Estep, D.Q. et al.
Weeldenburg, J., see Arnold, G.W. et al.
Wiepkema, P.R., see Meijaser, F.M. et al.
Wilson, A.D., see Terpstra, J.W. and Wilson, A.D.
Winfield, C.G., see Barnett, J.L. et al.
Wollney C. see Hount K A and Wollney C



Subject Index

Agonistic behaviour	
The effect of group size and space allowance on the agonistic and spacing behavior of	
cattle	. 127
"Bait-shyness"	
"Poison-shyness" and "bait-shyness" developed by wild rats (Rattus rattus L.). I.	
Methods for eliminating "shyness" caused by barium carbonate poisoning	. 89
Behaviour	
Effects of early handling on later open-field behaviour in rabbits	. 157
Effects of rain and fly harassment on the feeding behaviour of free-ranging feral goats	31
Feeding station behaviour of free-grazing sheep	. 259
Behavioural responses	
The effect of design of tether and stall housing on some behavioural and physiological	
responses related to the welfare of pregnant pigs	. 1
Bulls	
Frequency of masturbation and time budgets of dairy bulls used for semen production	217
Homosexual and social behaviours of young bulls of different geno- and phenotypes and	
plasma concentrations of some hormones	101
Cattle	
The effect of group size and space allowance on the agonistic and spacing behavior of	
cattle	197
Coprophagy	a Adres
Coprophagy by foals: recognition of maternal feces	267
Cows	. 201
Orientation to the sun of British and exotic breed cross cows during the winter	115
The effect of forage supplementation, herbage height and season on the ingestive	. 110
behaviour of dairy cowsbehaviour of dairy cows	202
Crushing	. 200
Preliminary trials of a sound-activated device to reduce crushing of piglets by sows	99
Daylength	. 20
The effect of daylength and weather conditions on the time spent by western grey kangaroos (Macropus fuliginosus) on farmland	959
	. 303
Domestic ewes	007
Social preferences of domestic ewes for rams (Ovis aries)	. 201
Early lactation	
Lethargy and low water intake by sows during early lactation: a cause of low piglet	
weight gains and survival?	13
Equine dominance	
Evaluating equine dominance in draft mares	55
Ewes	
Ram mating preferences for woolly rather than recently shorn ewes	301
Fly harassment	
Effects of rain and fly harassment on the feeding behaviour of free-ranging feral goats	31
Foals	
Coprophagy by foals: recognition of maternal feces	267
Food intake	
Food intake by free-grazing sheep and resource productivity	239

Food needs
Methodology for measuring hunger and food needs using operant conditioning
in the pig
Forage supplementation
The effect of forage supplementation, herbage height and season on the ingestive behaviour of dairy cows
Free-ranging predators
Ethinyl estradiol and generalized aversions to eggs among free-ranging predators
Generalized aversions Ethinyl estradiol and generalized aversions to eggs among free-ranging predators
Grazing distribution
Grazing distribution of sheep and kangaroos in a semi-arid woodland
Effects of early handling on later open-field behaviour in rabbits
Homosexual behaviour
Homosexual and social behaviours of young bulls of different geno- and phenotypes and
plasma concentrations of some hormones
Hunger needs
Methodology for measuring hunger and food needs using operant conditioning
in the pig
Ingestive behaviour
The effect of forage supplementation, herbage height and season on the ingestive
behaviour of dairy cows
Inter-individual distances
Inter-individual distances and orientation in laying hens housed in groups of three in two different-sized enclosures
Kangaroos
Grazing distribution of sheep and kangaroos in a semi-arid woodland
kangaroos (Macropus fuliginosus) on farmland
The phenomenon of pandiculation in the kinetic behaviour of the sheep fetus
Lambs
Fostering lambs by odor transfer: two-lamb substitution
Laying hens
Inter-individual distances and orientation in laying hens housed in groups of three in
two different-sized enclosures
Lethargy
Lethargy and low water intake by sows during early lactation: a cause of low piglet weight gains and survival?
Milk consumption
Suckling behaviour and milk consumption in newborn piglets as a response to sow
grunting 22'
Operant conditioning
Methodology for measuring hunger and food needs using operant conditioning in the pig
Orientation 276
Inter-individual distances and orientation in laying hens housed in groups of three in
two different-sized enclosures
Orientation to the sun of British and exotic breed cross cows during the winter

Pandiculation	
The phenomenon of pandiculation in the kinetic behaviour of the sheep fetus	69
Physiological responses	
The effect of design of tether and stall housing on some behavioural and physiological	
responses related to the welfare of pregnant pigs	1
Plasma concentrations	
Homosexual and social behaviours of young bulls of different geno- and phenotypes and	
plasma concentrations of some hormones	01
"Poison-shyness"	
"Poison-shyness" and "bait-shyness" developed by wild rats (Rattus rattus L.). I.	
Methods for eliminating "shyness" caused by barium carbonate poisoning	89
Rabbits	
An analysis of the open-field performance of sub-adult rabbits 1	
Effects of early handling on later open-field behaviour in rabbits	57
Ram mating	
Ram mating preferences for woolly rather than recently shorn ewes	01
Rams	
Social preferences of domestic ewes for rams (Ovis aries)	87
Reindeer	
Social relationships of reindeer Rangifer tarandus during rut: implications for female	
choice	83
Resource productivity	
Food intake by free-grazing sheep and resource productivity	:39
Semen production	
Frequency of masturbation and time budgets of dairy bulls used for semen production 2	:17
Sheep	
Food intake by free-grazing sheep and resource productivity	
Grazing distribution of sheep and kangaroos in a semi-arid woodland	
Feeding station behaviour of free-grazing sheep	
The phenomenon of pandiculation in the kinetic behaviour of the sheep fetus	69
Social behaviour	
Homosexual and social behaviours of young bulls of different geno- and phenotypes and	
plasma concentrations of some hormones	101
Social preferences	
Social preferences of domestic ewes for rams (Ovis aries)	287
Social relationships	
Social relationships of reindeer Rangifer tarandus during rut: implications for female	
choice	183
Sound-activated device	00
Preliminary trials of a sound-activated device to reduce crushing of piglets by sows	23
Sows	
Influence of neighbours on stereotypic behaviour of tethered sows	137
Spacing behaviour	
The effect of group size and space allowance on the agonistic and spacing behavior of	100
cattle	127
Stereotypic behaviour	100
Influence of neighbours on stereotypic behaviour of tethered sows	137
Suckling behaviour	
Suckling behaviour and milk consumption in newborn piglets as a response to sow	005
grunting	221

Tether and stall housing The effect of design of tether and stall housing on some behavioural and physiological responses related to the welfare of pregnant pigs	1
Time budgets	
Time budgets in Red Junglefowl as a baseline for the assessment of welfare in domestic	
fowl	77
Two-lamb substitution	
Fostering lambs by odor transfer: two-lamb substitution	247
Weaning	
Weaning in calves: its effects on social organization	43
Weather conditions	
The effect of daylength and weather conditions on the time spent by western grey	
kangaroos (Macropus fuliginosus) on farmland	353
Welfare	
Time budgets in Red Junglefowl as a baseline for the assessment of welfare in domestic	
fowl	77
The effect of design of tether and stall housing on some behavioural and physiological	
responses related to the welfare of pregnant pigs	1
Wild rats	
"Poison-shyness" and "bait-shyness" developed by wild rats (Rattus rattus L.). I.	
Methods for eliminating "shyness" caused by barium carbonate poisoning	89

